INDEX TO AUTHORS VOLUME 1

A

AMES, A. See WEBSTER and AMES, 53
—. See WEBSTER, AMES, and NESBETT, 201
ANDERSON, L. M., and TELFER, W. H. A follicle cell contribution to the yolk spheres of moth oocytes, 633
ASHHURST, D. E. The fine structure of pigeon breast muscle, 485

B

BACCETTI, B., and LAZZERONI, G. The envelopes of the nervous system of pseudoscorpions and scorpions, 417
BERRIDGE, M. J., and OSCHMAN, J. L. A structural basis for fluid secretion by Malpighian tubules, 247
BIESELE, J. J. See SHAY, DOBSON, SIMMONS, BIESELE, and BRELAND, 593
BRELAND, O. P. See SHAY, DOBSON, SIMMONS, BIESELE, and BRELAND, 593
BURFORD, H. J. See GILL and BURFORD, 497

C

CHANG, K. P., and MUSGRAVE, A. J. Histochemistry and ultrastructure of the mycetome and its 'symbiotes' in the pear psylla, *Psylla pyricola* Foerster (Homoptera), 597
CHAPMAN, D. M. The nature of cnidarian desmocytes, 619
COLEMAN, G. S., and HALL, F. J. Electron microscopy of the rumen ciliate *Entodinium caudatum*, with special reference to the engulfment of bacteria and other particulate matter, 607
CROSSLEY, A. C., and WATERHOUSE, D. F. The ultrastructure of a pheromone-secreting gland in the male scorpion-fly *Harpobittacus australis* (Bittacidae Mecoptera), 273
—, —. The ultrastructure of the osmeterium and the nature of its secretion in *Papilio* larvae, 525

D

DOBSON, W. J. See SHAY, DOBSON, SIMMONS, BIESELE, and BRELAND, 593

E

EDWARDS, A. A. The structure of the eye of *Ligia oceanica* L., 217

F

FILSHIE, B. K., and WATERHOUSE, D. F. The structure and development of a surface pattern on the cuticle of the green vegetable bug *Nezara viridula*, 367

G

GILL, J. B., and BURFORD, H. J. The effect of antidiuretic hormone on avian salt gland function, 497
GUPTA, B. L., MELLON, D., and TREHERNE, J. E. The organization of the central nervous connectives in *Anodonta cygnea* (Linnaeus) (Mollusca: Eulamellibranchia), 1
— and SMITH, D. S. Fine structural organization of the spermatheca in the cockroach *Periplaneta americana*, 295

H

HALL, F. J. See COLEMAN and HALL, 607
HOPKINS, C. R. The fine structural localization of acid phosphatase in the prolactin cell of the teleost pituitary following the stimulation and inhibition of secretory activity, 653
HORRIDGE, G. A. Statocysts of medusae and evolution of stereocilia, 341
—. The eye of *Dytiscus* (Coleoptera), 425

J

JARLFORS, U. See SMITH, JARLFORS, and RUSSELL 673

L

LATIES, A. M. Histological techniques for study of photoreceptor orientation, 63
LATIES, G. G., and TREFFRY, T. Reversible changes in conformation of mitochondria of constant volume, 575
LAZZERONI, G. See BACCETTI and LAZZERONI, 417
LING, E. A. The structure and function of the cephalic organ of a nemertine *Lineus ruber*, 503
LOCKE, M. The ultrastructure of the oenocytes in the molt intermolt cycle of an insect, 103
—. The localization of a peroxidase associated with hard cuticle formation in an insect, *Calpodes ethlius* Stoll, Lepidoptera, Hesperiidae 555
LUKE, B. M. See NEVILLE and LUKE, 355, 689

MELLON
MULLIN
sense
nilotic
– and
fine
labyri
MUSGRA

NAKAJIM
fibers
snake
NESBETT

NEVILLE
tectur
micro
–, –.
plexes
–, THO
relate
cuticl

ODHIAM
repro
1.
2.
OSCHMA

PALAY, S

RUSSELL

SHAY, J.
J. J.,
access

NOTICE TO READER: The material in this copy may be

M

MELLON, D. See GUPTA, MELLON, and TREHERNE, 1
MULLINGER, A. M. The organization of ampullary sense organs in the electric fish, *Gymnarchus niloticus*, 31
– and SMITH, J. J. B. Some aspects of the gross and fine structure of the amphibian papilla in the labyrinth of the newt, *Triturus cristatus*, 403
MUSGRAVE, A. J. See CHANG and MUSGRAVE, 597

N

NAKAJIMA, Y. Fine structure of red and white muscle fibers and their neuromuscular junctions in the snake fish (*Ophiocephalus argus*), 229
NESBETT, F. B. See WEBSTER, AMES, and NESBETT, 201
NEVILLE, A. C., and LUKE, B. M. Molecular architecture of adult locust cuticle at the electron microscope level, 355
–, –. A two-system model for chitin-protein complexes in insect cuticles, 689
–, THOMAS, M. G., and ZELAZNY, B. Pore canal shape related to molecular architecture of arthropod cuticle, 183

O

ODHIAMBO, T. R. The architecture of the accessory reproductive glands of the male desert locust
1. Types of glands and their secretions, 155
2. Microtubular structures, 325
OSCHMAN, J. L. See BERRIDGE and OSCHMAN, 247

P

PALAY, S. L. See WUERKER and PALAY, 387

R

RUSSELL, F. E. See SMITH, JÄRLFORS, and RUSSELL 673

S

SHAY, J. W., DOBSON, W. J., SIMMONS, E. E., BIESELE, J. J., and BRELAND, O. P. Subunits of flagellar accessory tubules, 593
SHOENBERG, C. F. An electron microscope study of the influence of divalent ions on myosin filament formation in chicken gizzard extracts and homogenates 83
SIMMONS, E. E. See SHAY, DOBSON, SIMMONS, BIESELE, and BRELAND 593
SMITH, D. S. The fine structure of haltere sensilla in the blowfly, *Calliphora erythrocephala* (Meig.), with scanning electron microscopic observations on the haltere surface, 443
–, JÄRLFORS, U., and RUSSELL, F. E. The fine structure of muscle attachments in a spider (*Latrodectus mactans*, Fabr.), 673
–. See GUPTA and SMITH, 295
SMITH, J. J. B. See MULLINGER and SMITH, 403

T

TELFER, W. H. See ANDERSON and TELFER, 633
THOMAS, M. G. See NEVILLE, THOMAS, and ZELAZNY, 183
TICE, L. W. A comparison of the distribution of enzymatically and non-enzymatically produced lead phosphate in insect flight muscle, 97
TREFFRY, T. See LATIES and TREFFRY, 575
TREHERNE, J. E. See GUPTA, MELLON, and TREHERNE 1

W

WATERHOUSE, D. F. See CROSSLEY and WATERHOUSE, 273, 525
–. See FILSHIE and WATERHOUSE, 367
WEBSTER, H. DE F., and AMES, A. Glutaraldehyde fixation of central nervous tissue: an electron microscopic evaluation in the isolated rabbit retina, 53
–, –, and NESBETT, F. B. A quantitative morphological study of osmotically induced swelling and shrinkage in nervous tissue, 201
WUERKER, R. B. Lipid droplet and microfilaments in a neuron, 645
–, and PALAY, S. L. Neurofilaments and microtubules in anterior horn cells of the rat, 387

Z

ZELAZNY, B. See NEVILLE, THOMAS, and ZELAZNY, 183

Ampullar
fish *Gy*
Antidiure
functio
Arthropo
molecu
Avian sal
functio

Bacteria,
caudatu

Cell, follic
oocytes
Cell, prol
acid ph
Cells, ant
in, light
Cephalic
and fun
Chicken
influenc
formati
Chitin-pro
system
Ciliate *Eu*
ment of
Cnidaria,
EM stu
Coelentera
histoche
– medusa
EM stu
Conforma
reversib
microsc
Crustacea
and EM
Cuticle,
molecul

ected by copyright. The University of Michigan Library

A

Ampullary sense organs, organization of, in electric fish *Gymnarchus niloticus*, light and EM study, 31
Antidiuretic hormone, effect of on avian salt gland function, physiological study, 497
Arthropod cuticle, pore canal shape related to molecular architecture of, light and EM study, 183
Avian salt gland, effect of antidiuretic hormone on function of, physiological study, 497

B

Bacteria, engulfment of by rumen ciliate *Entodinium caudatum*, EM study, 607

C

Cell, follicle, contribution of, to yolk spheres of moth oocytes, autoradiographic study, 633
Cell, prolactin, of teleost pituitary, localization of acid phosphatase in, EM study, 653
Cells, anterior horn, neurofilaments and microtubules in, light and EM study, 387
Cephalic organ, of nemertine *Lineus ruber*, structure and function of, light and EM study, 503
Chicken gizzard, extracts and homogenates of, influence of divalent ions on myosin filament formation in, biochemical and EM study, 83
Chitin-protein complexes, in insect cuticles, two-system model for, EM study, 689
Ciliate *Entodinium caudatum*, of rumen, and engulfment of bacteria and other particulate matter, 607
Cnidaria, nature of desmocytes of, histochemical and EM study, 619
Coelenterate, cnidarian, nature of desmocytes of, histochemical and EM study, 619
—medusae, statocysts of, and evolution of stereocilia, EM study, 341
Conformation, of mitochondria of constant volume, reversible changes in, biochemical and light microscopic study, 575
Crustacean *Ligia oceanica*, structure of eye of, light and EM study, 217
Cuticle, arthropod, pore canal shape related to molecular architecture of, light and EM study, 183
Cuticle, of bug *Nezara viridula*, structure and development of surface pattern on, light, transmission and scanning EM study, 367
—, formation of, in insect *Calpodes ethlius*, localization of a peroxidase associated with, cytochemical and EM study, 555
—, locust, molecular architecture of, EM study, 355
—s, insect, two-system model for chitin-protein complexes in, EM study, 689

D

Desmocytes, cnidarian, nature of, histochemical and EM study, 619
Development, and structure of surface pattern, on cuticle of green vegetable bug *Nezara viridula*, light, transmission and scanning EM study, 367

E

Enzymatically and non-enzymatically produced lead phosphate, in insect flight muscle, EM study, 97
Eye, of *Dytiscus*, EM study, 425
—, of *Ligia oceanica*, structure of, light and EM study, 217

F

Filament, myosin, influence of divalent ions on formation of, in chicken gizzard extracts and homogenates, biochemical and EM study, 83
—s, micro-, lipid droplet and, in a neuron, EM study, 645
Fish, electric, *Gymnarchus niloticus*, ampullary sense organs of, light and EM study, 31
— *Ophiocephalus argus*, structure of red and white muscle and their neuromuscular junctions in, light and EM study, 229
—, teleost, pituitary of, localization of acid phosphatase in prolactin cell of, EM study, 653
Fixation, glutaraldehyde, evaluation of, in central nervous tissue, EM study, 53
Flagella, subunits of accessory tubules of, EM study, 593
Fluid secretion, by Malpighian tubules, structural basis for, physiological, light and EM study, 247

NOTICE TO READER: The material in this copy

G

Gland, salt, of avian, effect of antidiuretic hormone on function of, physiological study, 497
—s, accessory reproductive, of male desert locust
1. Types of glands and their secretions, light microscopic study, 155
2. Microtubular structures, EM study, 325

H

Haltere, sensilla of, in blowfly *Calliphora erythrocephala*, light, transmission and scanning EM study, 443
Histological techniques, for study of photoreceptor orientation, light microscopic study, 63
Hormone, antidiuretic, effect of on avian salt gland function, physiological study, 497

I

Insect, adult locust, molecular architecture of cuticle of, EM study, 355
— *Calliphora erythrocephala*, haltere sensilla of, light, transmission and scanning EM study, 433
— *Calpodes ethlius*, localization of a peroxidase associated with hard cuticle formation in, cytochemical and EM study, 555
— cuticles, two-system model for chitin-protein complexes in, EM study, 689
—, desert locust, male, accessory reproductive glands of
1. Types of glands and their secretions, light microscopic study, 155
2. Microtubular structures, EM study, 325
— *Dytiscus*, eye of, EM study, 425
—, flight muscle of, distribution of enzymatically and non-enzymatically produced lead phosphate in, EM study, 97
— *Harpobittacus australis*, ultrastructure of pheromone-secreting gland of, EM study, 273
—, Malpighian tubules of, structural basis of fluid secretion by, physiological, light and EM study, 247
—, molt intermolt cycle of, ultrastructure of oenocytes in, light and EM study, 103
—, moth, oocytes, follicle cell contribution to yolk spheres of, autoradiographic study, 633
— *Nezara viridula*, structure and development of surface pattern on cuticle of, light, transmission and scanning EM study, 367
— *Papilio*, osmeterium of, ultrastructure and nature of secretion, EM study, 525
— *Periplaneta americana*, organization of spermatheca in, EM study, 295
— *Psylla pyricola*, mycetome and its 'symbiotes' in, EM study, 597
Ions, divalent, influence of on myosin filament formation in chicken gizzard extracts and homogenates, biochemical and EM study, 83

J

Junctions, neuromuscular, of red and white fibers of fish *Ophiocephalus argus*, light and EM study, 229

L

Labyrinth, amphibian papilla of, in newt, *Triturus cristatus*, light and EM study, 403
Lead phosphate, enzymatically and non-enzymatically produced, in insect flight muscle, EM study, 97
Lipid droplet, and microfilaments in a neuron, EM study, 645

M

Malpighian tubules, fluid secretion by, structural basis for, physiological, light and EM study, 247
Microtubules, in accessory reproductive glands of male desert locust, EM study, 325
—, of flagella, subunits of, EM study, 593
—, and neurofilaments, in rat anterior horn cells, light and EM study, 387
Mitochondria, reversible changes in conformation of, biochemical and light microscopic study, 575
Molecular architecture, of adult locust cuticle, EM study, 355
— —, of arthropod cuticle, pore canal shape related to light and EM study, 183
Mollusc *Anodonta cygnea*, organization of central nervous connectives of, light and EM study, 1
Molt intermolt cycle, of an insect, ultrastructure of oenocytes in, light and EM study, 103
Muscle, insect flight, distribution of enzymatically and non-enzymatically produced lead phosphate in, EM study, 97
—, of pigeon breast, light and EM study, 435
—, red and white, and neuromuscular junctions in snake fish *Ophiocephalus argus*, light and EM study, 229
Muscle attachments, structure of, in a spider *Latrodectus mactans*, EM study, 673
Mycetome, and 'symbiotes', in pear psylla *Psylla pyricola*, histochemical and EM study, 597
Myosin filament, influence of divalent ions on formation of, in chicken gizzard extracts and homogenates, biochemical and EM study, 83

N

Nemertine *Lineus ruber*, structure and function of cephalic organ of, light and EM study, 503
Nervous system, central connectives of, in *Anodonta cygnea*, light and EM study, 1
— —, central, evaluation of gluteraldehyde fixation in, EM study, 53
— —, central, neurofilaments and microtubules in anterior horn cells of, light and EM study, 387
— —, central, study of osmotically produced swelling and shrinkage in, quantitative light and EM study, 201

ted by copyright. The University of Michigan Library

Nervous System, neuron, lipid droplet and microfilaments of, EM study, 645
——, of pseudoscorpions and scorpions, envelopes of, EM study, 417
——, sensory, amphibian papilla of labyrinth, of newt *Triturus cristatus*, light and EM study, 403
——, sensory, ampullary sense organs of electric fish *Gymnarchus niloticus*, light and EM study, 31
——, sensory, haltere sensilla of blowfly *Calliphora erythrocephala*, light, transmission and scanning EM study, 443
Neurofilaments and microtubules, in rat anterior horn cells, light and EM study, 387
Neuromuscular junctions, of red and white muscle fibers, of snake fish *Ophiocephalus argus*, light and EM study, 229
Newt *Triturus cristatus*, amphibian papilla in labyrinth of, light and EM study, 403

O

Oenocytes, in molt intermolt cycle of an insect, light and EM study, 103
Oocytes, of moth, follicle cell contribution to yolk spheres of, autoradiographic study, 633
Orientation, of photoreceptors, histological techniques for study of, light microscopic study, 63
Osmeterium, of *Papilio* larvae, ultrastructure and nature of secretion of, EM study, 525
Osmotically produced swelling and shrinkage, morphological study of, in nervous tissue, quantitative light and EM study, 201

P

Peroxidase, associated with hard cuticle formation, in *Calpodes ethlius*, localization of, cytochemical and EM study, 555
Pheromone-secreting gland, in male scorpion-fly *Harpobittacus australis*, EM study, 273
Phosphatase, acid, localization of, in prolactin cell of teleost pituitary, cytochemical EM study, 653
Photoreceptor, orientation of, histological techniques for study of, light microscopic study, 63
Pigeon breast muscle, light and EM study, 485
Pituitary, of teleost, localization of acid phosphatase in prolactin cell of, following stimulation and inhibition of secretory activity, EM study, 653
Pore canals, in arthropod cuticle, shape of, related to molecular architecture, light and EM study, 183
Protein, chitin- complexes, in insect cuticles, two-system model for, EM study, 689

R

Rabbit retina, evaluation of glutaraldehyde fixation of, EM study, 53
——, osmotically produced swelling and shrinkage in, quantitative light and EM study, 201
Reproductive glands, male accessory, of desert locust
1. Types of glands and their secretions, light microscopic study, 155
2. Microtubular structures, EM study, 325
Retina, of rabbit, evaluation of glutaraldehyde fixation of, EM study, 53
—, of rabbit, osmotically produced swelling and shrinkage in, quantitative light and EM study, 201

S

Scorpions and pseudoscorpions, envelopes of the nervous system of, EM study, 417
Secretion, fluid, by Malpighian tubules, structural basis for, physiological, light and EM study, 247
—, in *Papilio* larvae, nature of, and ultrastructure of osmeterium, EM study, 525
—, of pheromone, gland responsible for, in male scorpion fly *Harpobittacus australis*, EM study, 273
Sense organs, ampullary, of electric fish *Gymnarchus niloticus*, light and EM study, 31
Sperm, flagella of, subunits of accessory tubules, EM study, 593
Spermatheca, in cockroach *Periplaneta americana*, EM study, 295
Spider *Latrodectus mactans*, structure of muscle attachments of, EM study, 673
Statocysts, of medusae, and evolution of stereocilia, EM study, 341
Stereocilia, evolution of and statocysts of medusae, EM study, 341
Subunits, of flagellar accessory tubules, EM study, 593
Symbiotes, in mycetome of pear psylla *Psylla pyricola*, histochemical and EM study, 597

Y

Yolk spheres, of moth oocytes, a follicle cell contribution to, autoradiographic study, 633